


EVIVA 18SP 18" powered subwoofer

- Signature Electro-Voice sound quality with selectable MUSIC/LIVE mode
- 1000 watt power rating with large, low-turbulence slot port provide high 132 dB maximum SPL
- Flexible line input connections and easy single-knob adjustment with dual-color input signal metering and peak detection
- Painted plywood enclosure with recessed input panel to protect controls and connectors in transit
- Universal mains voltage 100 - 240 V auto-switching delivers reliable performance
- Ergonomic, light-weight design with durable metal side handles, anti-skid bottom feet, and M20 threaded pole mount plate



The EVIVA 18SP is an 18-inch powered portable subwoofer that brings Electro-Voice quality sound and reliability to aspiring musicians, DJs, and small venues. It has been designed for quick deployment, so its user-friendly control and easy connectivity combine well with a lightweight design and rapid setup process to ensure that fast, single-person setup is possible. Electro-Voice has launched the EVIVA family to deliver best-in-class performance from a performance focused portable powered loudspeaker. To achieve this optimal sound quality, EVIVA 18SP features large slot ports for low distortion and excellent bass extension. Weighing just 30.7 kg, EVIVA 18SP offers extended frequency range of 38 Hz – 200 Hz (-10 dB) and high maximum SPL of 132 dB, delivering deep, powerful bass across the audience area. It offers industry standard connectivity to make setting up any gig as fast as possible with two XLR/TRS combo jack line inputs, two XLR pass through outputs, switchable low pass frequency and reversible polarity. The 18-inch subwoofer features a robust plywood enclosure, 1000 W amplifier, and 2-channel analog input section. The intuitive control panel features one gain knob for level adjustment and switches for mode changes between **MUSIC** and **LIVE**, low pass between **100 Hz EVIVA 12P / 15P** and **150 Hz** and polarity between **NORMAL** and **REVERSE**. The subwoofer is

powered via an IEC mains input with auto-switching universal mains voltage input. Included power cord varies per region.

The portable powered subwoofer features a durable all-metal handles and interlocking feet for stacking, as well as a simple setup process to ensure users can get the most out of their system quicker.

The universal appeal of EVIVA 18SP is backed by a range of existing accessories. PCL35 and ASP-58 poles fit the subwoofer's M20 threaded mount.


Technical specifications

Frequency response (-3 dB) (Hz) ¹	45 Hz – 150 Hz
Frequency range (-10 dB) (Hz) ²	38 Hz – 200 Hz
Maximum sound pressure level at a distance of 1 m (dB) ³	132 dB
Amplifier rating (W)	1000 W
Power consumption (V, Hz) ⁴	100 - 240 V~, 50 - 60 Hz, 0.6 - 0.4 A
LF transducer size (in)	18 in
LF transducer magnet material	Ferrite
Crossover frequency (Hz)	100 Hz (default) 150 Hz (optional)



Connector type	(2) XLR/TRS combo jack line input (2) XLR pass through output
Enclosure	15 mm plywood, internally braced, with textured paint
Grille material	Powder coated steel
Color	Black
Dimensions (H x W x D) (mm)	597 mm x 520 mm x 620 mm
Dimensions (H x W x D) (in)	23.50 in x 20.47 in x 24.41 in
Shipping dimensions (H x W x D) (mm)	650 mm x 602 mm x 674 mm
Shipping dimensions (H x W x D) (in)	25.59 in x 23.70 in x 26.54 in
Weight (kg)	30.7 kg
Weight (lb)	67.60 lb
Shipping weight (kg)	36.9 kg
Shipping weight (lb)	81.3 lb

- 1) Half-space measurement using music DSP preset.
- 2) Half-space measurement at 1 m.
- 3) Maximum SPL is measured at 1 m using broadband pink noise at maximum output.
- 4) Current rating is 1/8 power.

Frequency response



Dimensions



Ordering information

EVIVA18SP-US 18" powered subwoofer, US cord
United States cord, NEMA 5-15P (IEC Type B), black
Order number **EVIVA18SP-US | F.01U.426.601**

EVIVA18SP-EU 18" powered subwoofer, EU cord
Europe cord, LP34A CEE 7/7 (IEC Types E & F), black
Order number **EVIVA18SP-EU | F.01U.426.602**

EVIVA18SP-IN 18" powered subwoofer, IN cord
India cord, IA6A3 (IEC Type D), black
Order number **EVIVA18SP-IN | F.01U.426.604**

EVIVA18SP-BR 18" powered subwoofer, BR cord
Brazil cord, NBR14136 BR2-10P (IEC Type N), black
Order number **EVIVA18SP-BR | F.01U.426.603**

EVIVA18SP-NC 18" powered subwoofer, no cord
No cord, black
Order number **EVIVA18SP-NC | F.01U.426.605**

EVIVA18SP-VN 18" powered subwoofer, Vietnam
Europe cord, LP34A CEE 7/7 (IEC Types E & F), black
Order number **EVIVA18SP-VN | F.01U.431.860**

Accessories

PCL35 Speaker pole, 35mm, M20 threaded
Subwoofer pole, 35mm, M20, black
Order number **PCL35 | F.01U.144.588 F.01U.353.592**

ASP-58 Adjustable subwoofer stand
Adjustable steel speaker pole with powder coat, tapered M20 threaded, black
Order number **ASP-58 | F.01U.317.892**



<https://www.electrovoice.com>